



AV conferencing has become an integral tool for business communication. But it's easy to forget that the majority of the content is actually carried by the audio, not the video. If the video fails during a videoconference, the meeting can go on virtually unimpeded. But if the audio fails, the meeting is over.

Since their introduction in 2016, Microflex® Advance™ Networked Array Microphones have come to be relied on to capture voice naturally, fit harmoniously with the room's appearance, and make it effortless to connect people for the world's leading enterprises. The platform includes advanced technology to provide outstanding sound quality, flexibility, and usability — all without compromising the appearance of the room.

The industry-leading Microflex® Advance™ microphones have revolutionized versatile and elegant AV conferencing solutions that discreetly and precisely capture every word.

# MEETING THE NEED

Audio is fundamental to successful collaboration. Poor intelligibility deprives us of valuable information and makes our brain work harder to compensate. We can experience fatigue, and we struggle to pay attention. Shure believes that good audio directly contributes to well-being, productivity, creativity, and connectedness of people in the workplace. We also believe that room designers and architects should not have to choose between sound and style.

ADVANTAGES





## WHAT'S IN IT FOR YOU?

## SYSTEM INTEGRATOR

The complete Shure networked systems ecosystem, from microphone to DSP to loudspeaker, are all deployed using Designer System Configuration software, enabling your teams to deliver great AV solutions more efficiently and faster than ever before.



## ARCHITECT / INTERIOR DESIGNER

Providing an audio solution that blends with any aesthetic, Microflex Advance enables architects and interior designers to create visually stunning workspaces, without sacrificing sound quality. It gives clients the style they want and the audio quality they need.



## C-LEVEL EXECUTIVES

Teams work more effectively and produce better results when communication between their members is natural and effortless. Microflex Advance makes poor audio a thing of the past, and allows teams to focus on their work.



## CFO / FINANCE DIRECTOR

Microflex Advance is a cost-effective audio solution that can be deployed in a variety of applications, eliminating the need for separate audio equipment purchases for audio-only and video conferencing use. Backed by industry-leading service and proven reliability, it presents a future-proof investment.





## **USERS**

Microflex Advance enables users to be more productive and creative – simply, to do their best work. It enhances communication by allowing everyone to hear, and be heard and understood clearly, while helping to remove unwanted noise and echo that contribute to listener fatigue during collaboration sessions.

## IT MANAGER / ADMIN

Microflex Advance integrates into your existing IT infrastructure, without affecting network speed or performance. Scalable to any size, with central control capabilities using SystemOn Audio Asset Management software, it makes AV/IT support more effective and less time consuming.



#### QUICKER COVERAGE

Industry-leading Steerable
Coverage<sup>TM</sup> Technology allows
you to configure up to eight
highly directional lobes in
three dimensions. Patentpending Autofocus<sup>TM</sup> technology
continually fine-tunes the position
of each lobe in real time, for
consistent sound if meeting
participants adjust their location.

## INTELLIMIX DIGITAL SIGNAL PROCESSING

The MXA910 with IntelliMix includes powerful Shure DSP algorithms — patented acoustic echo cancellation, noise reduction and automatic mixing – providing all of the signal processing needed for echo- and noise-free audio in A/V conferencing applications.

## UNPRECEDENTED WORKFLOW EFFICIENCY

The MXA910 provides full room coverage right out of the box. And with free Designer System Configuration Software, rooms can be easily configured anywhere offline in minutes, and fine-tuned live while onsite. Even audio routing between Shure devices can be completed ahead of time – deploying room solutions has never been faster.

#### SCALABLE FOR MANY SPACES

Multiple MXA910s and a single IntelliMix P300 Digital Signal Processor can be combined in a system that offers a distributed DSP approach that is simple, powerful and cost effective, allowing unprecedented room expansion and scalability — including applications with camera tracking and voicelift requirements.

#### ELEGANT DESIGN

Seamlessly integrate arrays within a meeting space, no matter what the design aesthetic. Numerous mounting options, including pole or suspension mounts. The MXA910 is available in three colors (white, aluminum black), or custom painted as desired.



zoom

Certified

Certified for

Microsoft Teams



## MXA310 TABLE ARRAY MICROPHONE 🛨

## GREAT AUDIO. ON THE TABLE.

#### STEERABLE COVERAGE

With free Designer System Configuration software, you can specify the polar pattern for each lobe. Patterns include cardioid, supercardioid, hypercardioid, omnidirectional, bi-directional and an exclusive toroid pattern that rejects audio from above.

#### SOUND TOOLS

An integrated automix out with adjustable parametric EQ helps improve clarity and reduces noise – for improved audio quality, intelligibility and seamless interaction between conference sites.

#### FLEXIBLE NETWORKING

Mix, route and manage the signals from up to four coverage areas as discrete channels on a AES67 or Dante audio network over a single Ethernet cable. Dante Domain Manager ready for enterprise-wide deployments. Use the automix channel to easily route audio to additional devices like the ANIUSB-MATRIX audio network interface for simple integration with leading software codec solutions.

#### MUTE CONTROLS

Program the touch-sensitive mute button for toggle, push-to-mute, push-to-talk or disable settings to send controls to external devices.

#### INTUITIVE LED DISPLAYS

The configurable LED light ring includes 17 colors and shows the mute status of the microphone in use and displays lighted segments during set-up to confirm coverage areas and selected automix settings.
















## PLAN AMAZING AUDIO.

Simply set-up your Shure Audio Ecosystem with this free software. Deploy more rooms in less time enabling you with more efficiency and consistency. Design projects online and offline.



#### PRE-CONFIGURED SETTINGS

Configure the Shure Audio Ecosystem for conferencing



#### STEP AND REPEAT

Create templates based on common floor plans.



#### PASS IT ON

Room configurations can be saved and shared with colleagues.



#### SINGLE HUB

Firmware updating and Dante™ audio routing.

## CONQUER COMPLEXITY AND SCALE.

You can't be everywhere at once but everywhere can be with you. Update and monitor your Shure Audio Ecosystem remotely. From managing inventory and battery health in real-time and troubleshoot on the go.



#### PEACE OF MIND

Stay one step ahead with text and email alerts for potential issues before they happen.




#### TIME SAVING

Maximize control of your organization's audio and update firmware on the go.



#### SECURE SYSTEM

Customize access and permissions for a tailored user experience





## AV THAT SPEAKS IT.

IntelliMix® Room, the first audio processing software fully optimized for Shure conferencing microphones. Simply download and deploy to in-room Windows 10 devices, and bring conferencing into the future. No custom setups or special hardware needed to enjoy crystal-clear audio on all video conference calls.



#### THE HARDWARE'S ALREADY THERE.

IntelliMix® Room effectively turns the in-room PC into a Shure device. All configuration is managed in our Designer software and replicable through easy-to-use templates.



#### DANTE ONBOARD.

Once the PC has IntelliMix Room onboard, it has Dante audio networking too. No other software license is needed to route audio to or from that PC.



#### **ALWAYS STANDING BY.**

Running in the background of Windows, the software restarts automatically, even if the PC loses power or has to reboot after updates.



#### NO COMPLICATED AUDIO ROUTING.

IntelliMix Room installs with its own audio driver. Once selected from the Audio Device dropdown in the Soft Codec of choice, the client is ready to talk.



#### ENTERPRISE-WIDE LICENSING.

A centrally managed license lets clients easily and effectively deploy the software through their global corporate network.




#### PUT A STOP TO EAVESDROP.

All connected Shure devices feature Shure Audio Encryption, so the only ones to hear it are the ones on the call.



### MAKE SIMPLE THE NEW STANDARD.

Now all it takes to optimize audio is award-winning Shure MXA mics and a PC running a conferencing application and IntelliMix® Room.



MXA910, MXA710 or MXA310 In-Room Windows 10 PC

With IntelliMix Room App and Conferencing Software

Camera, Display, and Loudspeakers

**APPLICATIONS APPLICATIONS** 

## **APPLICATION FLEXIBILITY**


Match single or multiple arrays to the AV conferencing needs of rooms of any size, configuration or activity: formal presentations, intimate discussions, distance learning or collaborative work.

### TABLE ARRAY COVERAGE MAPS

Small Rectangular Table 1 Table Array

> Profile 6 Chairs 1 Rectangular Table


1 Bi-Directional Pattern 2 Cardioid Patterns



Medium Round Table 1 Table Array

> Profile 9 Chairs 1 Round Table

> > 1 Toroid Pattern




### LINEAR ARRAY COVERAGE MAPS

Small Rectangular Table MXA710-2FT Coverage Distance: Up to 16 ft Channels used: 3 of 4 Mic Coverage: Default

Horizontal Wall Installation

Profile 9 Chairs


1 Rectangular Table





1 Square Table


4 Supercardioid Patterns



Rectangular Table 1 Table Array

Profile 5 Chairs 1 Rectangular Table

1 Supercardioid Pattern 2 Cardioid Patterns




Large Rectangular Table MXA710-4FT

Coverage Distance: Up to 20 ft Channels used: 5 of 8 Mic Coverage: Custom/Optimized

Horizontal Wall Installation

Profile

13 Chairs 1 Rectangular Table



#### **APPLICATIONS**

## **CEILING ARRAY COVERAGE MAPS**




Large Conference Room 2 Ceiling Arrays

Profile

28 Chairs 1 Rectangular Table

14 Coverage Areas






Medium Conference Room 1 Ceiling Array

Profile 14 Chairs 1 Rectangular Table

8 Coverage Areas



\* Coverage Capabilities

Installed at a height of 3 meters (ten feet), Ceiling Arrays capture audio from seated participants to a recommended area of 9 meters (30 feet) in diameter, meeting the STIPA "A" intelligibility rating.

\*\* Note:

Ceiling Arrays are capable of picking up participants beyond 9 meters (30 feet).


- \*\* Room conditions
- RT60 (reverb time) = 500 ms @ 1kHz, weighted room noise = 40dBSPL(A). IEC-602682-16.



Videoconference Room 1 Ceiling Array

Profile 21 Chairs 3 Rectangular Tables

8 Coverage Areas






Classroom / Presentation Room


1 Ceiling Array

Profile 16 Chairs

4 Rectangular Tables

7 Coverage Areas





#### INTEGRATION

## BETTER TOGETHER.

Shure Networked Audio Processors and Interfaces guickly and easily integrate with Microflex Advance providing high-quality audio conferencing solution with extremely intelligible meeting sound.

#### INTELLIMIX® P300 AUDIO CONFERENCING PROCESSOR

The IntelliMix P300 Audio Conferencing Processor offers DSP algorithms optimized for AV conferencing applications with Microflex Advance microphones. Featuring acoustic echo cancellation, noise reduction and automatic gain control for up to 8 Dante channels, the P300-IMX helps to ensure echo- and noise-free conference room audio that facilitates communication 15 x 12 Matrix Mixer and collaboration. Easy to install and configure using Designer System Configuration software, the P300 provides Dante, analog, USB and mobile connectivity options that make joining room systems and collaborating with laptops and mobile devices easier than ever.

IntelliMix® DSP

10 Dante input channels, 8 output channels

2 analog audio inputs / 2 outputs

3.5mm Mobile input (1/8")

Easy deployment with Designer System Configuration

Single Ethernet connectivity

10 configuration presets

Third-party control system compatible

Dante Domain Manager ready


Power over Ethernet plus (PoE+)

8 Channels of Acoustic Echo Cancellation










### **AUDIO PERFORMANCE**

Enhanced meeting room audio for natural communication and better interaction in AV conferences with remote team members.



### INTUITIVE CONNECTIONS

Industry-first mute sync functionality when MXA microphones are connected to the P300 for better operation with leading third-party software codecs.



#### **SIMPLICITY**

Pre-defined templates for system configuration reduce programming time, and allow installation within seconds.



### SHURE AUDIO ENCRYPTION

When using Microflex Advance together with the IntelliMix P300 Audio Conferencing Processor and selected Shure Audio Network Interfaces, Shure Audio Encryption with AES-256 encryption technology can help protect confidential content.









## SHURE

# INSTALLATION SOLUTIONS

MXA910 Ceiling Array Microphones are designed for suspension, pole and flush mounting in metric or imperial formats. The sleek, linear form factor of the MXA710 allows for placement virtually anywhere in a meeting space, including on a wall, around a display, ceiling, or into a conference room table. MXA310 Table Array Microphones feature through-the-table mounting kits. The A310-FM mounting accessory also allows flush mounting in a table.



### MXA910 CEILING ARRAY MOUNTING OPTIONS

#### Integrated Vibration Isolation

Prevents transmission of mechanical noise through the microphone.


UL 2043 suitable for air handling spaces and plenum compliant when used with supplied Fyre Wrap® accessory.


#### **Dust Protection**

IEC 60529 IP5X Dust Protected




MXA910W-US installation shown








Requires A910-HCM accessory



Configures a 600 mm Ceiling Array for a 625 mm grid.



Allows the Ethernet cable connected to the array to be installed inside flex conduit.



Hard Ceiling Mount

Can be pre-installed in the ceiling and the MXA910 installed later using the access door. Provides knockouts for conduit connections.

### MXA310 TABLE ARRAY MOUNTING OPTIONS

#### **+** TABLE ARRAY MOUNTING KIT (INCLUDED)

Cable management solutions for on-the-table or through-the-table applications; includes mounting tube/wingnut.

MXA310 retrofits existing Shure table mounted MX395, MX396, MX392 boundary microphones.

#### + A310-FM FLUSH MOUNT (OPTIONAL)

Allows MXA310 Table Array to be mounted flush in the table; includes rubber isolation to prevent mechanical vibrations.

Available in black and aluminum finishes; paintable to match table surface.



### **MXA710 LINEAR ARRAY MOUNTING OPTIONS**









### **EXPRESSIVE FINISHES**

Ceiling and Table Array microphones are available in black, white and aluminum finishes to match room aesthetics or the finishes of other AV system components. The Ceiling Array microphone can also be custom-painted to fit your environment.

